



CF02 CLAY&FINISH Fluid

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

CF02 CLAY&FINISH Fluid

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Washing and cleaning products

1.3. Details of the supplier of the safety data sheet

| | | |
|---------------|-------------------------|----------------------------------|
| Company name: | SCHOLL Concepts GmbH | |
| | Polish & Pad Manufaktur | |
| Street: | Maybachstrasse 7 | |
| Place: | D-71686 Remseck | |
| Telephone: | +49 (0) 7141 29299 - 0 | Telefax: +49 (0) 7141 29299 - 10 |
| e-mail: | sds@schollconcepts.com | |
| Internet: | www.schollconcepts.com | |

1.4. Emergency telephone number: +49 (0) 89 19240 (Giftnotruf Technische Universität München)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EG) Nr. 1272/2008

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

Regulation (EG) Nr. 1272/2008

Hazard components for labelling

This product has been treated with biocides for preservation.

Precautionary statements

P102 Keep out of reach of children.

Special labelling of certain mixtures

| | |
|--------|---|
| EUH208 | Contains mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1). May produce an allergic reaction. |
| EUH210 | Safety data sheet available on request. |

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



CF02 CLAY&FINISH Fluid

Hazardous components

| CAS No | Chemical name | Quantity |
|------------|--|-----------|
| | EC No | |
| | Index No | |
| | REACH No | |
| | Classification (Regulation (EG) Nr. 1272/2008) | |
| 67-63-0 | isopropanol | 1 - < 5 % |
| | 200-661-7 | |
| | 603-117-00-0 | |
| | 01-2119457558-25 | |
| | Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 | |
| 5131-66-8 | 3-Butoxy-2-propanol | 1 - < 5 % |
| | 225-878-4 | |
| | | |
| | 01-2119475527-28 | |
| | Skin Irrit. 2, Eye Irrit. 2; H315 H319 | |
| 55965-84-9 | mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1) | < 0.1 % |
| | 611-341-5 | |
| | 613-167-00-5 | |
| | Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071 | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|------------|-----------|---|-----------|
| | | Specific Conc. Limits, M-factors and ATE | |
| 67-63-0 | 200-661-7 | isopropanol | 1 - < 5 % |
| | | dermal: LD50 = 12800 mg/kg; oral: LD50 = 5840 mg/kg | |
| 5131-66-8 | 225-878-4 | 3-Butoxy-2-propanol | 1 - < 5 % |
| | | dermal: LD50 = >2000 mg/kg; oral: LD50 = 3300 mg/kg | |
| 55965-84-9 | 611-341-5 | mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1) | < 0.1 % |
| | | inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 = >141 mg/kg; oral: LD50 = 66 mg/kg Skin Corr. 1C; H314: >= 0,6 - 100 Skin Irrit. 2; H315: >= 0,06 - < 0,6 Eye Dam. 1; H318: >= 0,6 - 100 Eye Irrit. 2; H319: >= 0,06 - < 0,6 Skin Sens. 1A; H317: >= 0,0015 - 100 Aquatic Acute 1; H400: M=100 Aquatic Chronic 1; H410: M=100 | |

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants, perfumes, preservation agents (Methylchloroisothiazolinone/Methylisothiazolinone).

SECTION 4: First aid measures

4.1. Description of first aid measures



CF02 CLAY&FINISH Fluid

General information

No special measures are necessary. When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Call a doctor.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam. Dry extinguishing powder. Carbon dioxide (CO₂). Water spray jet. Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

No special measures are necessary.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.



CF02 CLAY&FINISH Fluid

For non-emergency personnel

Remove all sources of ignition. Ventilate affected area. Wear personal protection equipment (refer to section 8).

For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Use personal protection equipment. Tested protective gloves must be worn: Recommended material: NBR (Nitrile rubber). Unsuitable material: PVC (polyvinyl chloride)

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Collect spillage. Stop leak if safe to do so. Cover drains.

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Use non-sparking tools. Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Advice on protection against fire and explosion

No special fire protection measures are necessary. Only use the material in places where open light, fire and other flammable sources can be kept away.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not smoke. When using do not eat or drink. Avoid contact with skin, eyes and clothes. Avoid breathing dust/fume/gas/mist/vapours/spray.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place. Keep container tightly closed.



CF02 CLAY&FINISH Fluid

Hints on joint storage

Do not store together with: Oxidising agent. Strong acid. Strong alkali.

Further information on storage conditions

Recommended storage temperature: 15-25°C

7.3. Specific end use(s)

Automotive care products

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m ³ | fibres/ml | Category | Origin |
|---------|-------------|-----|-------------------|-----------|---------------|--------|
| 67-63-0 | Propan-2-ol | 400 | 999 | | TWA (8 h) | WEL |
| | | 500 | 1250 | | STEL (15 min) | WEL |

DNEL/DMEL values

| CAS No | Substance | Exposure route | Effect | Value |
|-----------|--------------------------|----------------|----------|-----------------------|
| 67-63-0 | isopropanol | | | |
| | Consumer DNEL, long-term | oral | systemic | 26 mg/kg bw/day |
| | Consumer DNEL, long-term | dermal | systemic | 319 mg/kg bw/day |
| | Worker DNEL, long-term | dermal | systemic | 888 mg/kg bw/day |
| | Consumer DNEL, long-term | inhalation | systemic | 89 mg/m ³ |
| | Worker DNEL, long-term | inhalation | systemic | 500 mg/m ³ |
| 5131-66-8 | 3-Butoxy-2-propanol | | | |
| | Consumer DNEL, long-term | dermal | systemic | 22 mg/kg bw/day |
| | Consumer DMEL, long-term | oral | systemic | 12,5 mg/kg bw/day |
| | Worker DNEL, long-term | dermal | systemic | 52 mg/kg bw/day |
| | Worker DNEL, long-term | inhalation | systemic | 147 mg/m ³ |
| | Consumer DNEL, long-term | inhalation | systemic | 43 mg/m ³ |

CF02 CLAY&FINISH Fluid

PNEC values

| CAS No | Substance | |
|---------------------------|---------------------|-------------|
| Environmental compartment | | Value |
| 67-63-0 | isopropanol | |
| Freshwater | | 140,9 mg/kg |
| Marine water | | 140,9 mg/l |
| Freshwater sediment | | 552 mg/kg |
| Marine sediment | | 552 mg/kg |
| Soil | | 28 mg/kg |
| 5131-66-8 | 3-Butoxy-2-propanol | |
| Freshwater | | 0,525 mg/l |
| Marine water | | 0,0525 mg/l |
| Freshwater sediment | | 2,36 mg/kg |
| Marine sediment | | 0,236 mg/kg |
| Soil | | 0,16 mg/kg |

8.2. Exposure controls



Appropriate engineering controls

Use only in well-ventilated areas.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves must be worn.

Recommended glove articles : Rotiprotect Nitril eco , Thickness of the glove material 0,10 mm, level 1 > 10 min. (DIN EN 374) Disposable gloves

Skin protection

Wear suitable protective clothing.

**CF02 CLAY&FINISH Fluid****Respiratory protection**

Warning! In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

No special environmental measures are necessary. Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

| | |
|---|--------------------------|
| Physical state: | Liquid |
| Colour: | colourless |
| Odour: | characteristic |
| Melting point/freezing point: | not determined |
| Boiling point or initial boiling point and boiling range: | 100 °C |
| Flammability | |
| Solid/liquid: | not applicable |
| Gas: | not applicable |
| Lower explosion limits: | 2 vol. % |
| Upper explosion limits: | 12 vol. % |
| Flash point: | >61 °C |
| Auto-ignition temperature: | 425 °C |
| Decomposition temperature: | not determined |
| pH-Value (at 20 °C): | 6,0 |
| Viscosity / kinematic: (at 40 °C) | <20,5 mm ² /s |
| Water solubility: (at 20 °C) | completely miscible |
| Solubility in other solvents | not determined |
| Partition coefficient n-octanol/water: | not determined |
| Vapour pressure: (at 20 °C) | 48 hPa |
| Vapour pressure: | not determined |
| Density (at 20 °C): | 1 g/cm ³ |
| Relative vapour density: | not determined |

9.2. Other information**Information with regard to physical hazard classes**

Oxidizing properties

Not oxidising.

Other safety characteristics



CF02 CLAY&FINISH Fluid

| | |
|------------------------------------|----------|
| Solvent content: | 3,95 % |
| Viscosity / dynamic: (at 20 °C) | <7 mPa·s |

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Only use the material in places where open light, fire and other flammable sources can be kept away.

10.5. Incompatible materials

Oxidising agent. Strong acid. Strong alkali.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in CLP Regulation

Toxicokinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

**CF02 CLAY&FINISH Fluid**

| CAS No | Chemical name | | | | |
|------------|---|---------------------|---------|--------|----------|
| | Exposure route | Dose | Species | Source | Method |
| 67-63-0 | isopropanol | | | | |
| | oral | LD50 mg/kg 5840 | Rat | ECHA | OECD 401 |
| | dermal | LD50 mg/kg 12800 | Rabbit | GESTIS | |
| 5131-66-8 | 3-Butoxy-2-propanol | | | | |
| | oral | LD50 mg/kg 3300 | Rat | ECHA | OECD 401 |
| | dermal | LD50 mg/kg >2000 | Rat | GESTIS | OECD 401 |
| 55965-84-9 | mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1) | | | | |
| | oral | LD50 mg/kg 66 | Rat | Thor | |
| | dermal | LD50 mg/kg >141 | | Thor | |
| | inhalation vapour | ATE 0,5 mg/l | | | |
| | inhalation dust/mist | ATE 0,05 mg/l | | | |

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Contains mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No information available.

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].



CF02 CLAY&FINISH Fluid

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | | |
|------------|---|---------------------|-----------|--------------------------------------|--------|----------|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 67-63-0 | isopropanol | | | | | |
| | Acute fish toxicity | LC50 9640 mg/l | 96 h | Pimephales promelas (fathead minnow) | ECHA | OECD 203 |
| | Acute algae toxicity | ErC50 > 100 mg/l | 72 h | Scenedesmus subspicatus | | |
| | Acute crustacea toxicity | EC50 9714 mg/l | 48 h | Daphnia magna (Big water flea) | ECHA | OECD 202 |
| 5131-66-8 | 3-Butoxy-2-propanol | | | | | |
| | Acute fish toxicity | LC50 >560-1060 mg/l | 96 h | Poecilia reticulata (Guppy) | ECHA | OECD 203 |
| | Acute algae toxicity | ErC50 >1000 mg/l | 96 h | Pseudokirchneriella subcapitata | ECHA | OECD 201 |
| | Acute crustacea toxicity | EC50 >1000 mg/l | 48 h | Daphnia magna (Big water flea) | ECHA | OECD 202 |
| | Algae toxicity | NOEC 560 mg/l | 4 d | Pseudokirchneriella subcapitata | | |
| 55965-84-9 | mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1) | | | | | |
| | Acute fish toxicity | LC50 0,22 mg/l | 96 h | Oncorhynchus mykiss (Rainbow trout) | Thor | OECD 203 |
| | Acute algae toxicity | ErC50 0,048 mg/l | 72 h | Pseudokirchneriella subcapitata | Thor | OECD 201 |
| | Acute crustacea toxicity | EC50 0,1 mg/l | 48 h | Daphnia magna (Big water flea) | Thor | OECD 202 |
| | Fish toxicity | NOEC 0,098 mg/l | 28 d | Oncorhynchus mykiss (Rainbow trout) | Thor | OECD 210 |
| | Algae toxicity | NOEC 0,0012 mg/l | 3 d | Pseudokirchneriella subcapitata | Thor | OECD 201 |
| | Crustacea toxicity | NOEC 0,004 mg/l | 21 d | Daphnia magna (Big water flea) | Thor | OECD 211 |
| | Acute bacteria toxicity | (EC50 7,92 mg/l) | 3 h | Activated sludge | | OECD 209 |

12.2. Persistence and degradability

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**CF02 CLAY&FINISH Fluid**

| CAS No | Chemical name | Method | Value | d | Source |
|------------|---|------------|-------|------|--------|
| | | Evaluation | | | |
| 67-63-0 | isopropanol | | | | |
| | EU Method C.5 | 53% | 5 | ECHA | |
| | Readily biodegradable (according to OECD criteria). | | | | |
| 5131-66-8 | 3-Butoxy-2-propanol | | | | |
| | OECD 301 E | 90% | 28 | ECHA | |
| | Readily biodegradable (according to OECD criteria). | | | | |
| 55965-84-9 | mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1) | | | | |
| | OECD 301 A | >70 % | 28 | Thor | |
| | Readily biodegradable (according to OECD criteria). | | | | |
| | OECD 301 D | >60% | | Thor | |
| | Readily biodegradable (according to OECD criteria). | | | | |

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|-----------|---------------------|---------|
| 67-63-0 | isopropanol | 0,05 |
| 5131-66-8 | 3-Butoxy-2-propanol | <3 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|------------|---|------|---------|----------------|
| 5131-66-8 | 3-Butoxy-2-propanol | <100 | | |
| 55965-84-9 | mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1) | 3,16 | | EPIWIN, S 1177 |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects



CF02 CLAY&FINISH Fluid

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

- | | |
|-----------------------------------|--|
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Inland waterways transport (ADN)

- | | |
|-----------------------------------|--|
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Marine transport (IMDG)

- | | |
|-----------------------------------|--|
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Air transport (ICAO-TI/IATA-DGR)

- | | |
|-----------------------------------|--|
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No special measures are necessary.

14.7. Maritime transport in bulk according to IMO instruments

**CF02 CLAY&FINISH Fluid**

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 40, Entry 75

2010/75/EU (VOC): 3,977 % (39,765 g/l)

2004/42/EC (VOC): 3,984 % (39,84 g/l)

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

Substance/product listed in the following inventories

| | |
|--------------|---------|
| EU / Schweiz | yes |
| Taiwan | unknown |
| New Zealand | yes |
| USA | yes |
| Canada | yes |
| Australia | yes |
| Japan | no |
| China | yes |
| Korea | no |
| Philippines | no |

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 6,7,9,15.

Abbreviations and acronymsADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

**CF02 CLAY&FINISH Fluid**

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

| | |
|--------|---|
| H225 | Highly flammable liquid and vapour. |
| H301 | Toxic if swallowed. |
| H310 | Fatal in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H330 | Fatal if inhaled. |
| H336 | May cause drowsiness or dizziness. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| EUH071 | Corrosive to the respiratory tract. |
| EUH208 | Contains mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1). May produce an allergic reaction. |
| EUH210 | Safety data sheet available on request. |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



CF02 CLAY&FINISH Fluid

Identified uses

| No | Short title | LCS | SU | PC | PROC | ERC | AC | TF | Specification |
|----|--|-----|----|----|------------|-----|----|----|---------------|
| 1 | Formulation or re-packing | F | - | - | 8a, 9 | 2 | - | - | |
| 2 | Automotive care products, Industrial uses | IS | - | - | 7, 10, 17 | 4 | - | - | |
| 3 | Automotive care products, Professional uses | PW | - | - | 10, 11, 17 | 8a | - | - | |
| 4 | Automotive care products, Consumer use | C | - | 31 | - | 8a | - | - | |

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use

PROC: Process categories

AC: Article categories

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

© by SCHOLL Concepts GmbH